

5~15 ml	300/370		
ERCP:			
•	<1 <1	1	~2
•	≥65		≥65
•	2%		
•			
•			
•	74,000	3,900	
%			≥ 4
		/	
•			
	e		
		ur	m L

30) 48

48

β- β- β- ()

-2 -2

β β

3

(PC-AKI)

X X

PC-AKI

Ames

Post Contrast-Acute Kidney Injury ,

PC-AKI

6-15 6-18

0 0.37 1.11 3.7g /kg 0.35 0.7 3.7g

/kg

eGFR44-30mL/min/1.73m²

eGFR<30mL/min/1.73m²

PC-AKI

16L

1%

≤0.3% ERCP 1 4 /

7.3g 1/40

102±15ml/3 2%

3 ≥93% 24 60% 12

ERCP / 7

C_{max} AUC V_{ss} t_{1/2}

≥65 4

ml/

1 1.5

14

83>CL_{CR}>30ml/min/1.23m²

41 2 CV 53% 2

CR C 2

CR 2 11.6

CV 4 ' f

38 26 6

83% 60 24

60 51

95% 3

CNS 60

3 2 30

CNS

1 / 5 / 10 / 16 /

24

YBH03812024

α

1 100ml:26.89g H20243328

2 100ml:62.34g H20243329

Stevens Johnson

210038 9

025-85109999

025-85803122

http://www.njcttq.com

ERCP

369

222062

0518-85804002 4007885028

0518-85806524

http://www.cttq.com

/

X

18G

Nocore-Admix

